

NR.2 TYPE SPECIFICATION/CONTRACT BID SUBMISSION FORM

Company Name:

AD Nr: 2022/ESA-082

ITEM NR	TRANSPORT WORK	THE LOADING PORT	THE DISCHARGING PORT	GROSS QUANTITY OF WORK (TONs) (A)	UNIT PRICE OF BID (EUR/TON) * (B)	TOTAL VALUE OF BID (EUR) (A*B)	Bandırma
							LAYCAN
1	MISC. BORON PRODUCTS	Bandırma	GARSTON	5096.322 (+/- % 10 ETİ option)	0	0	05.05.2022-10.05.2022

Total: 5096.322

Total: 0

NOTES :

- 1.This form is sign by authorized personal.
2. The bidders who are not in our repertoire declare to accept terms and condition of Nr.2 type specification/contract [that is find on website www.etimaden.gov.tr] on the Bid Submission Form and the requested documents and information that seen in same place by ETİ would be deemed to have committed in order to recorded to repertoire.
- 3.The bids is given via the Bid Submission Form and this Form and its attachment that included details of shipping & transport are signed and cached.
- 4.The nomination of ship and the Bandırma ETA must be given within the bid submission form and the Bandırma ETA must be suitable to Bandırma LAYCAN. If the ship nomination & the Bandırma ETA are not given by bidders or the Bandırma ETA is not suitable to Bandırma Laycan, the bids will be disqualified.
- 5.The bidder accepts all terms of Type 2 Specification/contract and the details of shipping and transport.
- 6.In case a bid is given by the real and legal persons which is notified as affiliation and/or connected with terrorist organization by security and intelligent authorities, their bids are invalid and if contract was signed, it will be canceled and both of these situations firms will be banned. Bidder/Contractors do not have any right in these cases.

VESSEL IMO:

LAST 4 CARGOES:

LOADING PORT ETA :

ENC : DETAILS OF SHIPPING & TRANSPORT

ADDITIONAL INF. FOR YOUR BID

--

DETAILS OF SHIPPING AND TRANSPORT

1. The bidder will offer all of the work (items).
2. All of shipment shall be carried out from the loading ports/berths/terminals to unloading ports/berths/terminals by one ship and in the hold(s) of the ship and without a partial cargo.
3. The unloading will be made to buyer's berth is notified Buyer's agency.
4. All or some cargo could be directly transshipped into barge(s) and/or coaster(s).
5. The bill of lading(s) shall have got the phrase as 'Clean on Board'. The B/L(s) shall be delivered to ETİ without delay.
6. The holds will be reinforced with hatch cover marine tape (in min. 150 mm widths and at min. 5 mm thickness) or with foam by the Contractor in order to minimize water leakage.

BASIS OF TRANSPORT: FIOST lashing / securing / dunnage

Bandırma PORT LAYCAN : 05.05.2022-10.05.2022

Contractor shall be obliged to make available at Bandırma port, the ship that is suitable to the loading port/berth/terminal and to the discharge port/berth/terminal between 05.05.2022-10.05.2022 following his reception of the transportation instructions from the ETİ

ETA NOTICE : The ship shall report her estimated time of arrival (ETA) to loading and unloading ports at 7, 5, 3, 2 and 1 days intervals to ETİ and sales@etiproducs.com .

QUANTITY OF THE WORK : Total: 5096.322 (+/- 10% option)

THE DEADLINE FOR BIDDING : 21.04.2022 13:30:00

BUILT DATE OF VESSEL MUST BE MAX 25 YEARS

DETAILS OF PRODUCTS

GARSTON

3000 tons KIR Etibor-48 (P2258233) in bulk,

650 tons BIG -75 mic Ground Colemanite (P2260239) in 1000 kg LAM PP big bags with bottom valves,

700 tons BAN NS Boric Acid (P2257237) in 1000 kg LAM PP big bags with bottom valves,

450 tons BAN NS Boric Acid (P2257238) in 1000 kg LAM PP big bags without bottom valves,

120 tons BAN Etibor-48 (P2258235) in 25 kg FFS bags on 1200 kg 4-way pallets,

72 tons BAN Etidot-67 (P2267240) in 20 kg craft bags on 720 kg 4 Way pallets,

24 tons BAN Borax Decahydrate (P2251241) in 25 kg LAM PP bags on 1200 kg 4-way pallets,

20 tons BAN Glassy Boron Oxide (P2250249) in 1000 kg PP+PE big bags with bottom valves,

46.2 tons BAN Zinc. Borate (P2281396) in 25 kg LAM PP bags on 1050 kg 4-way pallets,

Total net 5082.200 tons (+/-10% ETİ option)

Total gross 5096.322 tons (+/-10% ETİ option)

3000 tons Etibor-48 will be loaded in Eti Maden Berth and the other products are loaded in one of Çelebi Terminal's piers is determined by the Contractor's agency.

The big bags must not be stowed on top of bulk.

Big bags must be stowed in different hold.

Big bags must be stored maximum 6 tiers.

Product types and tonnages could be changed by ETİ within 10% option.

When the bid is accepted by ETİ with certain tonnages, The option will be +/- 5%.

The products are harmless, non-dangerous and non imo classed.

Zinc. Borate SECTION 14. Transport information

Hexaboron dizinc undecaoxide has a UN Number, and is regulated under international rail, road, water or air transport regulations.

14.1. UN number : 3077

14.2. UN proper shipping name : Environmentally Hazardous Substance. Solid, N.O.S. (Zinc Borate)

14.3. Transport hazard class(es) : 9

14.4. Packing group : III

14.5. Environmental hazards : Marine pollutant

14.6. Special precautions for user : N.A.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: N.A.

DETAILS OF SHIP

The vessel(s) has/have not carried any cargo of coal, chromium, ferrochrome, iron ore and iron concentrate at last 4 (four) cargoes.

Shipowner(s) and ship(s) must be a member of IACS or Turk Loydu.

Vessel should not been under detention within a year.

The Holds of Ship: The holds of the ship(s) should be double-skinned and box-shaped type, horizontal and vertical bulk head type. The holds shall have steel floors. The holds should be at the same size with the hatches, in "OPEN HATCH" form. The hatches of holds must be MacGregor type or hydraulic end rolling type automatic hatches.

DETAILS OF LOADING PORT

Bandırma Eti Maden Berth (pier) :

Length: approximately 180 meter

Width: approximately 80 meter

Berth draft: SSW approximately 8,00 meter

1gsb (good, safe berth) & aa (always afloat)

Loading rate: about 5400 tons per WWD for bulk

Çelebi Terminal :

Berth Length & drafts		
	Length	
Berth Nr.	approximately	Approximately DRAFT SSW (Summer Salt

	(meter)	Water) (METER)
2-3	284	9
4-5	324	10
6	130	10
7-8	380	11 for 250 meter section of berth 10 for 130 meter section of berth
9	204	10
11	190	10

Width: approximately 80 meter

1gsb (good, safe berth) & aa (always afloat)

Loading rate: about 1500 tons per WWD for Big-Bag & 750 tons per WWD for pallets.

DETAILS OF DISCHARGING PORT

1 SAFE BERTH, GARSTON/UK

Unloading berth will be notified by the agency of discharging port.

Max LOA: about 150.00 meter

Max Beam: about 17.00 meter

Max. draft about 7.00 meter

There is a variable deduction from the height of the Garston tides which is currently 2.0m / 2.2m

Normal working hours of port for discharging vessels : 07:00-19:00 Monday to Friday

Discharging rates:

A. For bulk: 2200 tons / WWD,

B. For big bags (1000kg and 2000kg): 1000 big bags / WWD,

C. For pallets (720kg, 1050kg and 1200kg): 500 tons / WWD,

WWD: SSHEX Working hours of port: Mon-Fri 08:00 - 17:00

The discharging speed may not be cumulative if combined discharge is not possible.

Due to the Covid-19 Pandemics, total discharging time can be increase.

The information as special characteristics, administrative and technical conditions, icing and other climatic conditions of the discharging port should be observed while the most suitable ship is provided by the Contractor.

If the ship stranded at sea and/or ports due to climatic condition and icing and/or not berth to port/terminal/piers due to same and other reasons, in this case costs, expenses borne by the Contractor.

THE LOADING AGENCY

The loading agency of Contractor must be localized in Bandırma and it must being worked as shipping agency under permit and license of TC Maritime Undersecretary and should have managed the loading operation of bulk/bags/palletized products.

THE BUYERS' AGENCIES OF DISCHARGING PORTS

Frank Armitt and Sons Ltd.

ABP Garston Docks Dock Road

L19 2JR Liverpool UK

Contact people: John Williams, Tom Brockbank

Shipping & Logistics Administrator (As Agents Only)

E-mail: agency@armitt.co.uk

Tel: +44 1928 575 926